
National Geodetic Survey Orientation

Dave Zilkoski, NGS Director January 31, 2006



Outline

- NGS Structure and Major Programs
- FY '06 Issues
- Outlook Beyond '06
- External Issues



NGS Priorities - Program Leaders

Height Modernization – Juliana Blackwell
NSRS Adjustment – Maralyn Vorhauer
Coastal Mapping – Mike Aslaksen
CORS Enhancement – Richard Snay
FAA QA/QC – Mark Howard
Specifications, Guidelines and Tools – Joe Evjen


NGS' Vision: Everyone can know where he or she is and where other things are anytime, anyplace.

NGS Budget

	FY05	FY06	FY07
Geodesy			
President's or projected	\$25.2M	\$24.7M	\$25.2M
Enacted	\$31.4M	\$32.2M	
Shoreline Mapping			
SM line, portion of M&C base, and earmarks	\$7.17M	\$5.7M	
FAA Reimburs.			
	\$8.17	\$4.8	
Total	\$46.74M	\$42.7M	

National Spatial Reference System (NSRS)

The NSRS is a consistent coordinate system that defines latitude, longitude, height, scale, gravity, and orientation throughout the United States.






Continuously Operating Reference Stations (CORS)


- A critical component of land and ocean observing systems
- Provides accurate interface between land and ocean observing systems
- CORS data also used to monitor and predict the distribution of moisture in the atmosphere, improving our ability to predict severe weather events.






Symbol color denotes sampling rates:(1 sec) (5 sec) (10 sec) (15 sec) (30 sec) (Decommissioned)

Craig 12/15/2005





CORS Applications



Online Positioning User Service (OPUS)

- Users submit GPS data to NGS, where they are processed using NGS computers and software.
- The resulting precise positions are e-mailed back to the user.



NGS Tool Kit



NGS Geodetic Tool Kit



on-line interactive computation of geodetic values

See the text version of an article about the NGS Geodetic Toolkit that appeared in the Professional Surveyor magazine, May 2003 Volume 23, Number 4

(See all the Professional Surveyor Articles about the NGS Geodetic Toolkit)

To learn more about a particular online program, click on its link for a description:

DEFLEC99

DYNAMIC HT

G99SSS

GEOID99

GEOID03

USGG2003

HTDP IGLD85

Inverse/Forward/Invers3D/Forwrd3D

LVL DH

Magnetic Declination

NADCON

NAVD 88 Modelled Gravity
Online Adjustment User Services

OPUS

State Plane Coordinates

Surface Gravity Prediction

Tidal and Orthometric Elevations

U.S. National Grid

Universal Transverse Mercator Coordinates

VERTCON

XYZ Coordinate Conversion

OR... Know what you want to do? Select a function from this list:

SELECT A TOOLKIT SHORTCUT



For more information contact NGS Information Services:

by e-mail,


or call (301) 713-3242, Monday - Friday, 7:00 AM - 4:30 PM eastern time.

State Advisor Program



National Readjustment

The NSRS Readjustment will resolve coordinate inconsistencies at borders between states. This year NGS loaded into the database all projects submitted for inclusion in the readjustment, including several large networks approaching 1000 stations in size.



Surveying for the FAA

Long standing relationship with the FAA to conduct airport surveys. Reimbursable program with year-to-year fluctuations in funding and scope of work.






FAA Reimbursable Funding


	FY 2004 (\$M)	FY 2005 (\$M)	FY 2006 (\$M) (anticipated funding)
FAA/Airport Obstruction Surveys	\$3.49	\$3.36	\$3.0
FAA/Area Navigation Approach	\$1.06	\$0.0	\$0.0
Wide Area Augmentation Surveys	\$0.0	\$4.81	\$1.8
Total	\$4.55	\$8.17	\$4.8

Shoreline Mapping

- Up-to-date shoreline maps are an integral part of Electronic Navigational Charts
- Shoreline receives funding from Mapping and Charting Base and Shoreline Mapping line item, and occasionally earmarks







Shoreline Legal Issues

Shorelines Change Continually





1954

Long Beach, CA 1997




Shoreline R&D

- Researching new technologies and their applications for remotely sensed shoreline data to NGS & NOAA programs
- V-Datum Partnership with CO-OPS and Coast Survey











Height Modernization

Used to determine accurate heights using GPS, along with traditional leveling, gravity, and modern remote sensing observations.

Critical for:

- Dam, levee safety
- Evacuation planning
- Hazard mitigation
- Flood-plain mapping
- Subsidence monitoring
- Determining high-water marks





Height Mod Appropriations (FY 01-06)

Fiscal Year	Appropriations	States
FY 2001	2.25 M	CA, NC
FY 2002	3.75 M	CA, NC, LA, WI
FY 2003	3.75 M	CA, NC, LA, WI, M5
FY 2004	9.0 M	CA, NC, LA, WI, MS, AL, WA, SC
FY 2005	9.6 M	CA, NC, LA, WI, MS, AL, WA, TX, KY
FY 2006	9.9 M	CA, NC, WI, MS, AL, SC, TX, KY, AZ



FY06 Height Modernization Funding

(\$ in thousands)


BACKGROUND

CA	933	California Spatial Reference Center at Scripps Institution of Oceanography
NC	933	North Carolina Department of Environmental and Natural Resources (and North Carolina A&T State University)
WI	3,000	Wisconsin Department of Transportation
AL	1,971	Alabama Department of Revenue
MS	600	University of Southern Mississippi
TX	1,600	Texas A&M University, Corpus Christi
KY	500	Morehead State University
SC	467	South Carolina Geodetic Survey
*AZ	500	???
NGS	233	Height Modernization Regional Expansion - NGS Implementation

* New state



Height Modernization Status



Geodetic Research Efforts

- Goal is to reduce the amount of time a surveyor has to 'sit' on a monument, while still achieving highest possible accuracy
 - Utilizing GPS most effectively
- Geoid modeling
- Ionospheric and





Emergency Preparedness



NGS assists emergency planners in various ways

- Evacuation route surveys
- Accurate heights for measuring sealevel rise, subsidence
- Shoreline maps for safe navigation

Hurricane Response

- NGS' Remote Sensing Division conducted damage assessment flights immediately following the landfall of Katrina, Rita, and other hurricanes
- For Katrina, NGS collected more than 8,300 images over 1,600 miles of linear flight lines
 - Website received over 72 million hits, and users have downloaded over 51 million image files
- Google Earth and other Web services incorporated the imagery.
- Insurance adjusters used the imagery to help process claims.
- CORS was operating in the area affected by Katrina, and collected data to support remote sensing missions and other GPS applications such as surveying and mapping activities associated with the post-hurricane recovery work.





Major Requirements Drivers

- Coast and Geodetic Survey Act, Public Law 80-373, Title 33 U.S. Code 883a, 1947.
- The Hydrographic Services Improvement Act of 1998, Public Law 107-372 reauthorized December 19, 2002.
- Establishment of Nationwide Differential Global Positioning System (NDGPS), Public Law. 105-66, title III, Sec. 346, 1997, 111 Stat.1449.
- Office of Management and Budget (OMB) Circular No. A-16 Revised, August 19, 2002 Coordination of Geographic Information and Related Spatial Data Activities.
- 2001 Federal Radionavigation Plan, U.S. Departments of Transportation and Defense, December, 2001.
- National Height Modernization Study, Report to Congress, June 1998.
- 2001 Federal Radionavigation Plan, U.S. Departments of Transportation and Defense, December, 2001.
- Aviation System Standards (AVN) Agreement and the Air Traffic Information Services (ATA-100) Agreement.

Outline

- NGS Structure and Major Programs
- FY '06 Issues
- Outlook Beyond '06
- External Issues

Major Deliverables

- 1. The National Spatial Reference System
- 2. Definition of the National Shoreline
- 3. Surveys and QA/QC for FAA Airport Charts

A sampling of specific milestones follows

Major Deliverables: NSRS

- 34.0% of U.S. counties rated as fully enabled or substantially enabled with accurate positioning capacity by FY '06 Year End
- Publish new CORS Guidelines (completed 1st Quarter)
- OPUS-DB available to the public by end of 2nd
 Quarter
- Outreach through at least 10 Height Modernization Events (User Forums, workshops, meetings, etc.) in FY '06
- Award grants and work for 7 states for Geodetic Survey and Height Modernization efforts in FY '06

Major Deliverables: Shoreline Mapping

- Critical Shoreline Areas:
 - 100% defined on 5 year rolling basis
 - 27.5% will be defined in FY '06
- Rest of U.S. shoreline:
 - 4.4% will be defined in FY '06

Major Deliverables: FAA

- 150 Area Navigation
 Approach LPV obstruction
 surveys planned for FY '06
- 41 Airport Obstruction Chart surveys planned for FY '06

NGS In the PPBES Structure

- All of NGS is within the Commerce and Transportation Goal
- NGS contains the Geodesy Program entirely, and the Shoreline Mapping component of the MTS Program
- Not directly involved with any Councils

FY 06 Congressional Budget

- 7 Height Mod earmarks
 - Recipient of AZ grant still unknown
- No cuts outside of rescissions and decreases to support other NOS programs
- Base funds have been relatively stagnant for years

Congressional Issues

Height Modernization

- This program would be more effectively run on a National basis
 - Earmarks not efficient, but show desire by states to have updated elevations
- National Height Mod plan exists, but have not gained support for this within the Goal

Congressional Issues

Shoreline Mapping

- Recent large increases to address the hydro-survey backlog have not been matched by increases to fund the shoreline mapping backlog.
 - Lack of understanding that these surveys are closely linked, and outdated shoreline information poses hazards to the nation's commerce, transportation, and recreational boating sectors
- Shoreline mapping in the past has received earmarks for work in the Chesapeake Bay, but did not in FY 2006

FAA

 Program would be run more efficiently if funds came directly to NGS rather than reimbursed through the FAA – would require Congress working across Committees

Reauthorized Legislation

 Work with NOS/NOAA to begin work on reauthorization of HSIA for FY 2008 and beyond


Metric with NOAA Attention


Geodesy GPRA Measure

- First year of implementation a more customer focused outcome measure
- Measures the percentage of U.S. counties rated as fully enabled or substantially enabled with accurate positioning capacity
 - Goal: Increase percentage of counties rated as substantially or fully enabled from 25% in 2004 to 90% in 2011).
- Accurate positioning measured on a county by county level using OPUS, OPUS DB, accepted blue book data (GPS and Leveling projects), and completion of County Scorecard.

Outline


- NGS Structure and Major Programs
- FY '06 Issues
- Outlook Beyond '06
- External Issues





Staffing Issues

- Large percentage of employees at or nearing retirement age
 - How to keep expertise in the agency, retain core competencies
- Evaluating best methods for attracting the best and brightest new employees



Outline

- NGS Structure and Major Programs
- FY '06 Issues
- Outlook Beyond '06
- External Issues


Stakeholders with Established Relationships

- Surveyors/Surveying Community
- State DOTs
- American Congress on Surveying and Mapping/National Association of Counties
 - Continued outreach to these groups, which are currently providing us a needs assessment of our Models and Tools via the County Scorecard.
- American Society of Photogrammetry and Remote Sensing
- American Geophysical Union
- International GNSS Service

Stakeholder Targets for Outreach/Improved Communications

- GIS Community
 - Burgeoning sector –we are still exploring how to best support this broad group of users and make them aware of our products and services
- Coastal managers
 - How they can best utilize NGS Products and Services, from Height Mod to Shoreline Mapping
- FAA: Aeronautical Survey Program:
 - Outreach within NOAA and FAA as to more efficient ways to administer this program

Critical Layer of GIS Applications



Land Ownership

Transportation

Surface Waters

Boundaries

Elevation

Aerial Imagery
Geodetic Control



Upcoming Activities for AA Participation

- Corbin, VA Facility 50th Anniversary and transfer of property to NOAA from USGS – May 23, 2006
- NGS Leadership Summit Summer/Fall 2006
- ACSM Conference April 2006
- EZRI Survey Summit August 2006
- Lewis and Clark Commemoration, Final Event, St. Louis MO – September 2006.

Cooperative Efforts

- Office of Coast Survey
 - Shoreline Mapping data critical for Nautical Charts
- CO-OPS
 - CORS on tide gauges
 - Wetland restoration projects
- OAR
 - Water Vapor data from CORS supports weather forecasting
- FEMA/Army Corps of Engineers
 - Map Modernization
 - Various efforts at establishing accurate heights in the Gulf Coast

Cooperative Efforts (cont'd)

- NESDIS
 - Continuity of Operations back-up and parallel CORS system at Boulder facility
- FAA
 - Long-standing agreements to conduct airport surveys – evolving relationship, perhaps in future will be providing strictly QA/QC
- States approximately 34
 - State advisor program
 - Height Mod program
- Federal Geographic Data Committee (FGDC)

NGS Culture

- Extremely skilled and dedicated employees
 - Proud of heritage dating back to Thomas Jefferson
- Since the split of the Coast and Geodetic Survey and the creation of NOS, many employees feel a disconnect between NGS and other parts of NOS
- Challenging to have Director's and Deputy Director's attention elsewhere
 - Goal Team Lead, Acting AA, NOS Technical Director, IOOS Program Manager
- NGS is the common denominator in many NOAA activities; integrates positioning and integrates services